



Tank manufacturer



Diesel



Heating oil



AdBlue®



Liquid fertilizers



Water



STORAGE SYSTEMS FOR LIQUIDS

Stationary and mobile polyethylene tanks

Containers for the storage and distribution of AdBlue®

www.swimer.pl/en



DIRECTIVE
MACHINES
2006/42/EC



9001



27001



We produce according to European Standard:
EN-13341: 2005 + A1: 2011





SINGLE AND DOUBLE-WALLED TANKS

SWIMER TANK

FOR DIESEL



Diesel fuel tank series



SWIMER TANK Eco-Line

This is an economical, compact version of the SWIMER TANK. The excellent quality of workmanship guarantees maximum comfort and convenient handling. Each customer can choose a version of the equipment tailored to his individual needs. These tanks are available in different sizes: 1500, 2500 and 5000 liters.

SWIMER TANK Comfort-Line

This is the flagship of the SWIMER TANK Comfort-Line, which is equipped with a large distribution cabinet. The low threshold of the cabinet allows free unrolling and rolling of the hose and convenient access to the distribution system. These tanks are available in the sizes: 2500, 3500, 5000, 7500 and 10000 liters.



200L

400L

mobi 5S

The mobile version of the SWIMER mobi 5S single-wall diesel tank was developed with the convenience of most mobile customers in mind. The main advantages are light, compact design, closable lid with pneumatic cylinder and powerful ON pump. SWIMER mobi 5S are suitable for transportation by forklift truck and conveyor belts. These tanks are available in the following sizes: 200 and 400 liters.



SINGLE AND DOUBLE-WALLED TANKS

SWIMER BLUE-TANK

for AdBlue®



Series of tanks for AdBlue®



SWIMER BLUE TANK Eco-Line

This is an economical, compact version of the double-walled SWIMER BLUE TANK. Excellent workmanship guarantees the highest comfort of use and convenience. Each customer can choose a version of the equipment tailored to his individual needs. The Eco series guarantees the lowest operating costs. These tanks are available in the following sizes: 1500, 2500 and 5000 liters.

SWIMER BLUE TANK Comfort-Line

The SWIMER BLUE TANK Comfort-Line is a first-class product. This comfortable version of the SWIMER tank has a large distribution cabinet. The low threshold of the cabinet allows free unrolling and rolling of the hose and convenient access to the distribution system. These tanks are available in different sizes: 2500, 3500, 5000, 7500 and 10000 liters.



mobi 5S

The mobile version of the single-wall AdBlue® tank SWIMER mobi 5S Blue was developed with the convenience of most mobile customers in mind. Its biggest advantages are its light weight, compact design, closable lid with pneumatic cylinders and high capacity AdBlue® pump. SWIMER mobi 5S Blue are suitable for forklift and conveyor transport. These tanks are available in the following sizes: 200 and 400 liters.



TANKS FOR DIESEL AND ADBLUE® (2 IN 1)

SWIMER TANK Duo | SWIMER mobi 5S Duo

[2 in 1]



SWIMER mobi 5S Duo

SWIMER mobi 5S Duo is a mobile version of a single-shell tank for diesel and AdBlue®. This is a very good solution for any customer who wants to have two types of liquid in one tank and at the same time its availability right here and now. The tank has a total capacity of 450 liters (410 L diesel and 40 L AdBlue®).

SWIMER TANK Duo

SWIMER TANK Duo is a double-walled, two-chamber, stationary tank with a total capacity of 9500 liters (7500 diesel + 2000 AdBlue®). It is a easy-to-use and universal tank. It will be ideal for: truck and bus transport, agriculture, industry, municipal plants, uniformed services, garages, fleet bases, airports or in the construction industry.



SINGLE WALL TANK FOR DIESEL AND ADBLUE®

mobi **5S**
DUO

SWIMER mobi 5S Duo 450

BASIC / CLASSIC

450 L



AdBlue®
40 L



lockable access lid with pneumatic cylinders



inlet with vent



clock gauge (diesel)



suction hose with non-return valve (diesel)



fuel filter mesh (diesel)



diesel pump 12 V 50 L/min with 4 m power cable^{*)}



AdBlue® pump with pump power cable 3 m



two distribution hoses 2 x 4 m



two automatic nozzles



digital flow meter FMT (diesel)

*Only available in the CLASSIC version

• ONE TANK - TWO LIQUIDS
• TWO DISPENSING SYSTEMS
• COMPACT FORM

Universal use in:

- ♦ Agriculture
- ♦ Construction
- ♦ Industry
- ♦ Uniformed services
- ♦ Transport
- ♦ Tourism and recreation

Product	CAPACITY	MASS L x W x H	WEIGHT (tank without liquid)	NUMBER OF CONTAINERS PER PALLET
SWIMER mobi 5S Duo 410/40	450 L	1200 x 800 x 820 mm	62 kg	3 pcs



SINGLE-WALLED WATER TANKS

SWIMER WATER TANK



Catch rain!
REDUCE WATER WASTE



Series of tanks for water



SWIMER WATER TANK

SWIMER WATER TANK stationary aboveground water storage tanks are made of the highest quality raw materials, have high resistance to external influences, are UV resistant, do not fade and do not corrode. Thanks to the carrying handles, they are easy to transport and unloading. High chemical and mechanical resistance and ease of cleaning ensure long-term and comfortable use.

Single-walled tanks are available in capacities: 1000, 1500, 2000, 2500, 3500, 5000, 7500, 10000, 12500, 15000, 20000 and 22000 liters.

SWIMER WATER TANK are approved for drinking water
of the National Institute of Public Health - National Institute of Hygiene (Poland)





UNDERGROUND SINGLE-WALLED WATER TANKS

SWIMER WATER TANK

Horizontal-Line



Catch rain!

REDUCE WATER WASTE

Rainwater storage in today's reality, when there are major climatic anomalies, is becoming a necessity, not a choice. **Water must be conserved!**

Create an infrastructure that will enable you to replace mains water - with rainwater.

Rainwater has a wide range of applications. We use it both in closed circuits for industry and for irrigation of green spaces in rural and urban areas. Water with low calcium content, which does not contain chlorine, potassium and magnesium, is ideal for watering plants. Such water will also work well for gardening, washing passenger or agricultural vehicles and other activities that do not require potable water. Using rainwater leads to great savings.

Collect rainwater - the world is already doing it!

SWIMER RAIN WATER TANK Horizontal-Line PE



SWIMER WATER TANK Horizontal-Line PE - underground polyethylene tanks are the perfect solution for those who plan to collect rainwater.

They are made of the highest quality raw materials, have high resistance to external influences, do not corrode.

High chemical and mechanical resistance ensure long-lasting and comfortable use. The flat base of the tank and the transport handles make it easy to put it in the ground.

It is possible to connect several tanks in series.

Available capacities: 3000, 6000 liters.

SWIMER RAIN WATER TANK Horizontal-Line LA



SWIMER WATER TANK Horizontal-Line LA are manufactured from polyester-glass laminate with a circular shape. Walls with a minimum thickness of 6 mm. They are designed for periodic storage of rainwater, domestic, sanitary sewage and municipal sewage.

SWIMER WATER TANK Horizontal-Line LA tanks can be installed in areas with pedestrian and vehicular traffic loads of 12 kN/m² and are designed for foundation in the ground at a depth of up to 1 m.

Available capacities: 8000, 10000, 14000, 18000, 22000, 26000 and 30000 liters.



SERIE Blue Force One® MID made of laminate

Container with integrated legalized distribution system (MID) made of multilayer laminate based on polyester resin with and without polyurethane foam insulation (LI/L). The outer tank is monolithic (no joints).

Blue Force One® MID | LI / L

STANDARD EQUIPMENT



inspection hatch under the flap access



filling line with TODO coupling



vents



liquid precision monitoring system LIPREMOS®



emergency switch



submersible pump 230 V max 35 L/min



AdBlue® filter



piston flow meter



6 m dispensing hose



ZVA automatic nozzle for trucks



automatic hose reel



maximum level sensor / alarm



leakage sensor / alarm



LED light in dispenser cabinet



thermal insulation (only LI)



service and storage space heating - blowing



heating nozzle space



exhaust fan



pump switching on/off handle



ADAST counter

OPTIONAL EQUIPMENT



ADAST DUO - two nozzles in one recess



two independent recess



probe OPW/GVR




MATERIAL	CAPACITY	MODEL	DIMENSIONS (L x W x H)
Laminate with insulation (LI)	3000L	Short (S)	2590/1100/2532
		Long (L)	3080/1165/2155
Laminate (L)	5000L	Short (S)	3840/1100/2730
		Long (L)	3080/1165/2155
	3000L	Short (S)	2590/1100/2532
		Long (L)	3080/1165/2155
5000L	Short (S)	3840/1100/2730	



SERIE

Blue Force One® MID BASIC made of sandwich panels

Container with integrated legalized distribution system made of sandwich panels (P) with fiberglass reinforced resin cladding and polyurethane foam core (insulation).



Container made of sandwich panels with insulation (P)



Blue Force One® MID BASIC | P

STANDARD EQUIPMENT:



inspection hatch under the flap access



filling line with TODD coupling



vents



LIPREMOS® SONIC PRO system



emergency switch



submersible pump 230 V max 35 L/min



mesh filter



piston flow meter



4 m dispensing hose



ZVA automatic nozzle for trucks



maximum level sensor / alarm



leakage sensor / alarm



thermal insulation (only LI)



automatic hose reel



heating nozzle space



pump switching on/off handle



ADAST counter



exhaust fan

OPTIONAL EQUIPMENT:



ADAST DUO - two nozzles in one recess



two independent recesses



probe OPW/GVR



inspection hatch 600 x 600 mm

MATERIAL	CAPACITY*	MODEL	DIMENSIONS** (L x W x H)
Sandwich panels with insulation (P)	1500L	Short (S)	1700/1100/2700
		Long (L)	1795/1200/2480
	2000L	Short (S)	2880/860/2000
		Short (S)	2025/1390/2620
	2500L	Long (L)	2690/1100/2000
		Short (S)	2590/1100/2532
	3000L	Long (L)	3080/1165/2155
		Short (S)	3180/1100/2360
	4000L	Short (S)	3180/1100/2360
	5000L	Short (S)	3840/1100/2730

* Other capacities available upon request

** We will adjust the dimensions of the container to fit any distribution island



SINGLE AND DOUBLE-WALLED TANKS

SWIMER AGRO TANK

for liquid fertilizers



Series of tanks for liquid fertilizers



1,5m ³	2,5m ³	3,5m ³	5,0m ³	7,5m ³	10,0m ³	12,5m ³	20,0m ³	22,0m ³
-------------------	-------------------	-------------------	-------------------	-------------------	--------------------	--------------------	--------------------	--------------------

SWIMER AGRO TANK

Excellent quality SWIMER AGRO TANK stationary tanks are adapted for storing liquid fertilizers. Thanks to the carrying handles, they are easy in transport and unloading. They are made of the highest quality raw materials, have high resistance to external influences, are resistant to UV radiation, do not fade and do not corrode.

High chemical and mechanical resistance and ease of cleaning ensure long-term and comfortable use. Single-walled tanks are available in capacities: 1500, 2500, 3500, 5000, 7500, 10000, 12500, 15000, 20000 and 22000 liters. Double-walled tanks come in capacities: 1500, 2500, 3500, 5000, 7500, 10000 liters.





ROTOMOULDING


Rotational molding is a technology that gives us tremendous opportunities to create different forms and capacities of tanks and their elements such as color, number of pieces, fusion, or marking.

Rotomolding gives us the ability to:

- design details of varying dimensions
- manufacture of various shapes difficult to realize in other technologies
- form a uniform shape without the need for additional joining techniques

- obtain good strength and quality parameters through the use of polyethylene
- forming threads, holes, hinges, protrusions, logos, textures and other design elements in details
- use of an unlimited number of colors
- building tooling in a short time and at affordable prices
- creating products with high aesthetics

The process of rotational formatting consists of 4 stages: filling the mold with powder, heating, cooling and finally removing the finished product from the mold.



SWIMER has a state-of-the-art machine park, its own construction department and specialized engineering staff oriented to realize your project perfectly tailored to your needs.



Rotomolding has many advantages that will also be Your product advantages!





SWIMER
ul. Płaska 64, 87-100 Toruń, POLAND
export@swimer.pl
+48 56 681 47 60

Authorized dealer: **vendeiro**

